


CCTV

Power Supplies




GET STARTED

Introduction




This tool has been created to assist you in finding the right Elmdene Power Supply based on making simple choices to guide you to the most applicable product range.

If you cannot find what you are looking for please contact Technical Support: 02392 696 638 – option 3



Next

Connect with Us



CCTV Power Supplies



Encapsulated PSUs

12V
Vision

24V
Vision

Rack Mounted PSUs

12V
Vision

Boxed PSUs

12V
Vision

24V
Vision

IP Rated Boxed PSUs (Outdoor Use)

12V dc

24V ac

24V dc

PoE Solution

PoE
UltraPod

Connect with Us

CCTV: 12V Vision Encapsulated Range



12 Volt Vision Range

Part Number	Rating	Encapsulated
VRS121000EB	1A	65 x 45 x 25
VRS121000EE	1A	65 x 45 x 25
VRS122000EB	2A	78 x 52 x 25
VRS122000EE	2A	78 x 52 x 25
VRS122000EB-4 (4 x 2.1 way splitter)	2A	78 x 52 x 25
VRS122000EE-4 (4 x 2.1 way splitter)	2A	78 x 52 x 25
VRS123500EB	3.5A	112 x 50 x 30
VRS123500EE	3.5A	112 x 50 x 30
VRS123500EB-4 (4 x 2.1 way splitter)	3.5A	112 x 50 x 30
VRS123500EE-4 (4 x 2.1 way splitter)	3.5A	112 x 50 x 30
VRS125000EE	5A	112 x 50 x 30
VRS125000EB	5A	112 x 50 x 30
VRS125000EE-4 (4 x 2.1 way splitter)	5A	112 x 50 x 30
VRS125000EB-4 (4 x 2.1 way splitter)	5A	112 x 50 x 30

[Datasheet](#)[24V Vision](#)

EB = UK mains plug
EE = European mains plug
All models have 2.1mm dc output plug on 1200mm flying lead

4 x 2.1 way splitter available as a separate item: SPLITTER-4
2.1 to 2.5mm adapter plug available: MCP101016

[Home](#)

CCTV: 24V Vision Encapsulated Range



24 Volt Vision Range

Part Number	Rating	Encapsulated
VR241000EB	1A	100 x 70 x 60

[Datasheet](#)[12V Vision](#)

Fitted with UK mains plug, 24V output via un-terminated flying lead

[Home](#)

CCTV: Rack Mounted PSUs



12 Volt Rack Mounted

Part Number	Rating	Box
VRS1218000-18	18A 18x1A fused outputs	19" Rack Mount

[Datasheet](#)



[Home](#)



CCTV: Boxed PSUs



12 Volt Vision Boxed Range

Part Number	Rating	Box HxWxD
VRS124000-J	4A 1 x 4A fused outputs	185 x 200 x 55 – hinge lid
VRS124000-2-J	4A 2 x 2A fused outputs	185 x 200 x 55 – hinge lid
VRS124000-4-J	4A 4 x 1A fused outputs	185 x 200 x 55 – hinge lid
VRS124000-8-J	4A 8 x 0.5A fused outputs	185 x 200 x 55 – hinge lid
VRS1216000-16-S	16A 16 x 1A fused outputs	345 x 288 x 90 – clam lid
VRS1220000-24-S	20A 24 x 0.8A fused outputs	345 x 288 x 90 – clam lid
Low Profile Lockable Enclosures:		
VRS124000-4-T	4A 4 x 1A fused outputs	310 x 245 x 50 – hinge lid
VRS124000-8-T	4A 8 x 0.5A fused outputs	310 x 245 x 50 – hinge lid
VRS128000-2-T	8A 2 x 4A fused outputs	310 x 245 x 50 – hinge lid
VRS128000-4-T	8A 4 x 2A fused outputs	310 x 245 x 50 – hinge lid
VRS128000-8-T	8A 8 x 1A fused outputs	310 x 245 x 50 – hinge lid
VRS128000-16-T	8A 16 x 0.5A fused outputs	310 x 245 x 50 – hinge lid

Datasheet –
4A/8A

Datasheet –
16A/20A

24V Vision



Home



CCTV: Boxed PSUs



24 Volt Vision Boxed Range

Part Number	Rating	Box HxWxD
VR2420	2A 1 x 2A fused output	100 x 150 x 65 – clam lid
VR2420-4	2A 4 x 0.5A fused outputs	100 x 150 x 65 – clam lid
VR2440	4A 1 x 4A fused output	185 x 200 x 55 – hinge lid
VR2440-2	4A 2 x 2A fused outputs	185 x 200 x 55 – hinge lid
VR2440-4	4A 4 x 1A fused outputs	185 x 200 x 55 – hinge lid
VR2440-8	4A 8 x 0.5A fused outputs	185 x 200 x 55 – hinge lid
VR2460-4	6A 4 x 1.5A fused outputs	185 x 200 x 55 – hinge lid
VR24160-8-S	16A 8 x 2A fused outputs	345 x 288 x 90 – clam lid
VR24160-16-S	16A 16 x 1A fused outputs	345 x 288 x 90 – clam lid

Low Profile Lockable Enclosures:

VR2480-T	8A 1 x 8A fused outputs	300 x 240 x 50 – hinge lid
VR2480-2-T	8A 2 x 4A fused outputs	300 x 240 x 50 – hinge lid
VR2480-4-T	8A 4 x 2A fused outputs	300 x 240 x 50 – hinge lid
VR2480-8-T	8A 8 x 1A fused outputs	300 x 240 x 50 – hinge lid




Home



Datasheet – ac

Datasheet – dc

12V Vision



CCTV: IP Rated Boxed PSU (Outdoor Use)



12 Volt dc

Part Number	Rating	Box HxWxD
VRS124000-P	4A 1 x 4A fused outputs	250 x 150 x 100 – IP68
VRS124000-2P	4A 2 x 1A fused outputs	250 x 150 x 100 – IP68
VRS124000-4P	4A 4 x 1A fused outputs	250 x 150 x 100 – IP68
VRS124000-8P	4A 8 x 0.5A fused outputs	250 x 150 x 100 – IP68
VRS122000-PTC-P*	2A 1 x 2A fused outputs	130 x 80 x 75 – IP66

*NEW compact and cost effective model with resettable PTC fuse [LEARN MORE](#)

Datasheet	Datasheet VRS122000-PTC-P
24V ac	24V dc



Home



CCTV: IP Rated Boxed PSU (Outdoor Use)



24 Volt ac Vision Boxed Range

Part Number	Rating	Box HxWxD
VR2440-P	4A, 1 x 4A fused outputs	182 x 182 x 90 (IP66)
VR2440-2P	4A, 2 x 2A fused outputs	182 x 182 x 90 (IP66)
VR2440-4P	4A, 4 x 2A fused outputs	182 x 182 x 90 (IP66)
VR2460-4P	6A, 4 x 1.5A	182 x 182 x 90 (IP66)
VR2480-P	8A, 1 x 8A fused outputs	200 x 200 x 100 (IP68)
VR2480-4P	8A, 4 x 2A fused outputs	200 x 200 x 100 (IP68)


[Datasheet](#)

12V ac

24V dc



[Home](#)



CCTV: IP Rated Boxed PSU (Outdoor Use)



24 Volt dc Vision Boxed Range

Part Number	Rating	Box HxWxD
VRS242000-2P	2A 2 x 1A - IP68	150 x 250 x 100

[Datasheet](#)

[12V dc](#)

[24V ac](#)



[Home](#)




CCTV: PoE Solution



PoE Solution UltraPod

Part Number	Rating	Battery	Box
POE-ULTRA-POD-MOD	Up to 3A	1 x 17Ah	Module Only
POE-ULTRA-POD-B	Up to 3A	1 x 17Ah	330 x 355 x 80

[Datasheet](#)





Follow Elmdene and keep up-to-date with the latest news and product info:



a  POTTER company

Start Again